

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FIRST NAMED INVENTOR FILING DATE ATTORNEY DOCKET NO. CONFIRMATION NO. 09/669,098 09/25/2000 **BILLY G MOON** 062891.0466 3457 **EXAMINER** 7590 01/12/2005 BARTON E SHOWALTER LY, ANH VU H BAKER BOTTS L L P ART UNIT PAPER NUMBER 2001 ROSS AVENUE DALLAS, TX 75201-2980 2667

DATE MAILED: 01/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/669,098	MOON ET AL.	•	
		Examiner	Art Unit		
		Anh-Vu H Ly	2667	•	
Period fo	- The MAILING DATE of this communication app	pears on the cover sheet with the	correspondence add	ress –	
	ORTENED STATUTORY PERIOD FOR REPLY	VIS SET TO EXPIRE 3 MONTH	(S) FROM		
THE - Exte after - If the - If NC - Failu Any	MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period of the properiod of the	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	mely filed ys will be considered timely. In the mailing date of this come ED (35 U.S.C. § 133).	nmunication.	
Status					
1)⊠	Responsive to communication(s) filed on 14 So	eptember 2004.			
.—		Γhis action is FINAL . 2b) This action is non-final.			
3)	, _				
,	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Disposit	ion of Claims				
4)⊠	Claim(s) <u>1-5,7-15,17-25,27-34 and 36-39</u> is/are pending in the application.				
	4a) Of the above claim(s) is/are withdrawn from consideration.				
5)	Claim(s) is/are allowed.				
6)⊠	Claim(s) <u>1-5,7-15,17-25,27-34 and 36-39</u> is/are rejected.				
7)	Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and/or election requirement.					
Applicat	ion Papers				
9) The specification is objected to by the Examiner.					
10)	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.				
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).				
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTC)-152 .	
Priority (under 35 U.S.C. § 119	ı			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 					
	2. Certified copies of the priority document	s have been received in Applicat	ion No		
	3. Copies of the certified copies of the prior	rity documents have been receiv	ed in this National S	Stage	
	application from the International Bureau	ս (PCT Rule 17.2(a)).			
* (See the attached detailed Office action for a list	of the certified copies not receive	ed.		
Attachmen					
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) 🔲 Interview Summary Paper No(s)/Mail D			
	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) 🔲 Notice of Informal I		152)	
	er No(s)/Mail Date <u>September 14, 2004</u> .	6)			

Art Unit: 2667

DETAILED ACTION

Response to Amendment

1. This communication is in response to applicant's amendment filed September 14, 2004. The proposed amendment to the claims has been entered. Claims 1-5, 7-15, 17-25, 27-34, and 36-39 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 7-11, 17-21, 27-31, and 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Helm et al (US Patent No. 5,719,871) in view of Padovani et al (US Patent No. 6,151,502). Hereinafter, referred to as Helm and Padovani.

With respect to claims 1, 11, 21, and 31, Helm discloses in Fig. 2, a diversity radio communication system comprising plurality of base stations 202-204 communicating simultaneously with the communication unit 201 (a wireless interface operable to receive information from a mobile unit using a wireless link between the wireless interface and the mobile unit). Further, as shown in Fig. 2, the base stations 202-204 transmit the encoded information to the comparator via the wire lines 212-214 (a network interface operable to communicate the graded packet to the core network). Helm discloses in Fig. 3, a comparator performing diversity voting on the encoded data frames (generate a graded packet encoding the information and the metric, wherein the metric enables elements of a core packet network to

Art Unit: 2667

select between multiple packets encoding information). Herein, the encoded data frames including the data words and quality metrics (determining a metric associated with the wireless link). Helm does not disclose the processor is operable to monitor and determine a metric associated with the second wireless link, between the wireless interface and a second mobile unit, has exceeded a predetermined threshold, register with a selection group, and instruct the wireless interface to being receiving information from the second mobile unit. Padovani discloses (col. 3, lines 26-28) that the pilot strength measurement message received by the base stations in communication with the mobile station (second mobile unit) (monitor and determine that a metric associated with the second wireless link between the wireless interface and the second mobile unit). Padovani discloses (col. 3, lines 51-58) that if the pilot energy value, Pi, exceeds the threshold (metric exceeded a predetermined threshold), it is added to the revised active set (selection group) (register with a selection group associated with the second mobile unit). The base station controller sets up communications with the mobile station in accordance with the revised active set (instruct the wireless interface to being receiving information from the second mobile unit). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the features of monitoring, determining, and revising the active set in Helm's system, as suggested by Padovani, to perform soft hand-off in a wireless communication system.

With respect to claims 7, 17, 27, and 36, Helm discloses (col. 5, lines 1-8) that the base stations 202-204 determine signal quality metrics for all of the code words. The signal quality metrics comprise error statuses; however, signal quality metrics might comprise SNR, RSSI,

Art Unit: 2667

BER, or path metric values resulting from Viterbi decoding of trellis encoded signals (wherein the metric is a selected one of a signal strength, signal to noise ratio, bit error rate, and carrier to noise ratio).

With respect to claims 8, 18, 28, and 37, Helm discloses in Fig. 3, the encoded information including the code words and quality metrics such as E11, E21, E31, ET1, ET2, and ET3 to enable the comparator to select the highest quality code words from among received code words (processor is operable to encode an identifier in the graded packet, wherein the identifier enables the elements of the core packet network to match the graded packet with other graded packets encoding the information).

With respect to claims 9, 19, 29, and 38, Helm discloses in Fig. 3, the code words in the data frames including the information communicated from the communication unit 201 to the base stations (wireless interface is operable to receive information from the mobile unit as a packet encoding the information).

With respect to claims 10, 20, 30, and 39, Helm discloses in Fig. 2, a diversity radio communication system for communicating voice over the air (information comprising voice information associated with a communication session).

Art Unit: 2667

3. Claims 1, 8-11, 18-21, 28-31, and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Derango et al (US Patent No. 5,867,491) in view of Padovani et al (US Patent No. 6,151,502). Hereinafter, referred to Derango and Padovani.

With respect to claim 1, 11, 21, and 31, Derango discloses in Fig. 1 a multi-channel simulcast system comprising a number of remote sites 41-43, wherein, each remote site comprising a plurality of transceivers 45 for communicating wirelessly with subscribers (not shown) (a wireless interface operable to receive information from a mobile unit using a wireless link between the wireless interface and the mobile unit). Derango discloses (col. 4, lines 30-40) that concurrently, other radio channels assigned to the same packet voting server 25 may become active, with the remote sites sending their received information packet stream to the voting server 25. All packets (generate a graded packet encoding the information and the metric, wherein the metric enables elements of a core packet network to select between multiple packets encoding the information) sent to the voting servers 25 must have either an implicit or explicit indication of radio channel number, voting session identifier, or information packet stream number as well as an indication of position of the packet (determining a metric as considered by the examiner) within the packet stream on the air interface (associated with the wireless link). As shown in Fig. 1, each remote site including a site controller/WAN access for connecting to the packet voting servers 25 (a network interface operable to communicate the graded packet to the core packet network). Derango does not disclose the processor is operable to monitor and determine a metric associated with the second wireless link, between the wireless interface and a second mobile unit, has exceeded a predetermined threshold, register with a selection group, and instruct the wireless interface to being receiving information from the second mobile unit.

Art Unit: 2667

Padovani discloses (col. 3, lines 26-28) that the pilot strength measurement message received by the base stations in communication with the mobile station (second mobile unit) (monitor and determine that a metric associated with the second wireless link between the wireless interface and the second mobile unit). Padovani discloses (col. 3, lines 51-58) that if the pilot energy value, Pi, exceeds the threshold (metric exceeded a predetermined threshold), it is added to the revised active set (selection group) (register with a selection group associated with the second mobile unit). The base station controller sets up communications with the mobile station in accordance with the revised active set (instruct the wireless interface to being receiving information from the second mobile unit). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the features of monitoring, determining, and revising the active set in Derango's system, as suggested by Padovani, to perform soft hand-off in a wireless communication system.

With respect to claims 8, 18, 28, and 37, Derango discloses (col. 4, lines 48-53) that for each voting session in the packet voting server, one vote occurs on all the packets from the same position (an identifier) in the packet stream from the same radio channel (processor is operable to encode an identifier in the graded packet, wherein the identifier enables the elements of the core packet network to match the graded packet with other graded packets encoding the information).

With respect to claims 9, 19, 29, and 38, Derango discloses in Fig. 1, a multi-channel simulcast system for transmitting packets of data. Therefore packets include the communicated

Art Unit: 2667

information (wireless interface is operable to receive the information from the mobile unit as a packet encoding the information).

With respect to claims 10, 20, 30, and 39, Derango discloses in Fig. 1, a multi-channel simulcast system comprising a number of remote sites 41-43, wherein, each remote site comprising a plurality of transceivers 45 for communicating wirelessly with subscribers. Herein, voice, data or multimedia may be included (information comprising voice information associated with a communication session).

4. Claims 2-5, 12-15, 22-25, and 32-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Helm et al (US Patent No. 5,719,871) and Padovani et al (US Patent No. 6,151,502) further in view of Bomar et al (US Patent No. 6,535,738). Hereinafter, referred to as Helm, Padovani, and Bomar.

With respect to claims 2-4, 12-14, 22-24, and 32-33, Helm discloses in Fig. 2, a diversity radio communication system comprising plurality of base stations 202-204 communicating simultaneously with the communication unit 201. Helm does not disclose the base station monitors the metric associated with the wireless link; determine that the metric associated with the wireless link has degraded below a predetermined threshold; withdraw from a selection group associated with the mobile unit; and instruct the wireless interface to discontinue receiving further information from the mobile unit. Bomar discloses (col. 5, lines 21-33) that the base station (CDMA system, herein comprising spreading code such as Walsh code and passband frequency) receives signal quality measurements from the mobile station (herein the base station

Art Unit: 2667

monitors the received measurements associated with the wireless link) and determines which base stations should be in the active set (selection group) based on the received measurements. Whereby, the signal quality measurements are being compared to different level of thresholds (col. 2, line 58 – col. 5, line 18) (determine that the metric associated with the wireless link has degraded below a predetermined threshold). Upon making a determination in accordance to the described technique (col. 2, line 58 – col. 5, line 18), the primary base station or second base station transmits an message indicating to the mobile station which base stations should be included in the active set (processor to instruct the mobile unit to discontinue receiving information from the base station on a Walsh code/frequency combination). Herein, if the measured signal quality associated with a base station is below a threshold that base station is not included in the active set (withdraw and instruct the wireless interface to discontinue receiving information from the mobile unit). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the features of monitoring, determining, withdrawing and instructing the wireless interface from receiving information transmitted by the mobile unit in Helm's system, as suggested by Bomar, to improve system capacity.

With respect to claims 5, 15, 25, and 34, Helm discloses in Fig. 2, base stations 202-204 concurrently receive information from the communication unit 201. Herein, such base stations are considered as a selection group by the examiner (selection group comprising a plurality of BTS each receiving information from the mobile unit).

Application/Control Number: 09/669,098 Page 9

Art Unit: 2667

Conclusion

5. Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on September 14, 2004 prompted the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 609(B)(2)(i). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh-Vu H Ly whose telephone number is 571-272-3175. The examiner can normally be reached on Monday-Friday 7:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

1

Page 10

Application/Control Number: 09/669,098

Art Unit: 2667

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avl

CHI PHAM

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600 /6/05